



# **Life at the Cell and Below-Cell Level. The Hidden History of a Fundamental Revolution in Biology**

by  
Gilbert N. Ling, Ph.D.

Pacific Press  
2001

## **Contents**

Preface	<i>i</i>
Answers to Readers's Queries ( <b>Read First!</b> )	<i>viii</i>
<b>Introduction</b>	1
<b>1. How It Began on the Wrong Foot—Perhaps Inescapably</b>	5
<b>2. The Same Mistake Repeated in Cell Physiology</b>	8
<b>3. How the Membrane Theory Began</b>	10
<b>4. Evidence for a Cell Membrane Covering All Living Cells</b>	14
4.1 From studies of cell volume changes and solute permeability	14
(1) A semipermeable diffusion barrier at the cell surface	14
(2) Plasmolysis	14
(3) Transient and sustained volume changes	16
(4) Membrane regeneration	18
4.2 From Bernstein's membrane theory of cellular electric potentials	21
4.3 From Donnan's theory of ionic distribution and membrane potential	23
<b>5. Evidence for the Cell Content as a Dilute Solution</b>	26
5.1 Early evidence for free cell water	26
5.2 Early evidence for free cell K <sup>+</sup>	26
<b>6. Colloid, the Brain Child of a Chemist</b>	29
6.1 Colloid, the namesake of gelatin and a cogent model for protoplasm	29
6.2 Coacervates	31
(1) History	31
(2) Bungenberg de Jong's two views	31
(3) Coacervate and protoplasm	33
(4) Coacervate and the living cell	34
<b>7. Legacy of the Nearly Forgotten Pioneers</b>	35
<b>8. Aftermath of the Rout</b>	40
8.1 The tiny Hungarian enclave under E. Ernst	40
8.2 The Leningrad school led by Nasonov and Troshin	41
<b>9. Troshin's Sorption Theory for Solute Distribution</b>	43

<b>10. Ling's Fixed Charge Hypothesis</b>	47
10.1 A theory of selective accumulation of $K^+$ over $Na^+$	48
(1) Enhancement of counter-ion (or neutral molecules) association with site fixation	48
(2) The salt-linkage hypothesis and a critical role for ATP	50
(3) The 1952 electrostatic model for the selective accumulation of $K^+$ over $Na^+$	50
10.2 Experimental verifications of the LFCH (and parts of AIH)	52
(1) Cytoplasm rather than the cell membrane as the seat of selective $K^+$ accumulation (and $Na^+$ exclusion)	53
(2) Confirming the <i>salt-linkage hypothesis</i> for past failures to demonstrate selective adsorption of $K^+$ on isolated proteins	55
(3) The great majority of cell $K^+$ is not free	56
(3.1) Mobility of intracellular $K^+$	56
(3.2) From X-ray absorption-edge fine structure	60
(3.3) $K^+$ activity measured in living cells with a $K^+$ -specific ion-sensitive microelectrode	60
(4) Cell $K^+$ adsorbed on $\beta$ - and $\gamma$ -carboxyl groups <i>one-on-one</i> and <i>in close contact</i>	62
(4.1) $K^+$ adsorption follows the characteristics of a Langmuir adsorption isotherm	62
(4.2) $K^+$ adsorption on $\beta$ - and $\gamma$ -carboxyl groups	64
(5) In striated muscle cells, the $K^+$ -adsorbing $\beta$ - and $\gamma$ -carboxyl groups belong mostly to myosin	66
(6) Quantitative relationship between adsorbed $K^+$ and ATP	69
(7) A summary of Section 10.2	71
<b>11. The Polarized Multilayer Theory of Cell Water</b>	74
11.1 Background	74
11.2 Polarized multilayer theory of cell water and its world-wide confirmation	75
11.3 Theoretical and practical extensions of the PM theory (and confirmations)	81
(1) The invention of MRI	81
(2) What makes gelatin unique leads to a new definition of colloid	84
(3) A new hypothesis of coacervate based on the PM theory	85
(4) A quantitative theory of solute distribution (exclusion) in cell water and model system and its experimental verification	90
(5) A possible cause for the lower $q$ -value for $Na^+$ (salts) in cell water than in extrovert models	99
(6) Answer to A.V. Hill's once-widely-accepted proof of free cell water and of free cell $K^+$	100
(7) Osmotic cell volume control	101
(7.1) What reduces the intracellular water activity to match that of a Ringer's solution?	102
(7.2) Reversible osmotic shrinkage of solutions of an extrovert model in dialysis sacs immersed in concentrated solutions of substances to which the sac membrane is fully permeable	105
<b>12. The Membrane-Pump Theory and Grave Contradictions</b>	109
<b>13. The Physico-chemical Makeup of the Cell Membrane</b>	115
13.1 Background	115
(1) The membrane theory	115
(2) LFCH (and AI Hypothesis)	118
13.2 Ionic permeation	119
13.3 Water traffic into and out of living cells is bulk-phase limited	123
13.4 Permeability of living cells to water is orders of magnitudes faster than that of phospholipid bilayers	126

13.5 Interfacial tension of living cell is too low to match that of a phospholipid layer	126
13.6 Ionophores strongly enhance $K^+$ permeability through authentic continuous phospholipid bilayer but no impact on the $K^+$ permeability of cell membrane of virtually all living cells investigated	129
13.7 Strongly polarized-and-oriented water in lieu of phospholipid bilayer	131
<b>14. The Living State: Electronic Mechanisms for its Maintenance and Control</b>	135
14.1 The launching of the association-induction hypothesis	
(1) Prelude	136
(2) The <i>c-value</i> and a quantitative theory for the control of the rank order of ionic adsorption	140
(3) The <i>c-value</i> analogue and its control of protein folding vs water polarization	143
(3.1) The control of the secondary structure of proteins	144
(3.2) The control of the physical state of the bulk-phase water	147
14.2 What distinguishes life from death at the cell and below-cell level? The new concept of the living state	148
(1) The living state	148
(2) The elemental living machine	152
(3) What distinguishes the <i>dead state</i> from the <i>active living stated</i>	154
(4) What does food provide: energy or negative entropy?	155
14.3 Electronic mechanisms of remote, one-on-many control	156
(1) Electronic induction in proteins	158
(2) Cooperative interaction as the basis for abrupt and coherent transitions between stable states	164
(3) The classification of drugs and other cardinal adsorbents: EWC, EDC and EIC	167
(4) ATP, the Queen of cardinal adsorbents, as an EWC	168
(5) What do drugs and other cardinal adsorbents do?	170
(6) How cardinal adsorbents produce across-the-board uniform electron-density change of many proximal functional groups	171
(7) Multiple control of single enzyme sites and "gangs" of pharmacological "effector sites"	175
<b>15. Physiological Activities: Electronic Mechanisms and Their Control by ATP, Drugs, Hormones and Other Cardinal Adsorbents</b>	179
15.1 Selective solute distribution in living cells: cooperativity and control	180
(1) $K^+$ , $Na^+$ and $Mg^{2+}$ accumulation in living cells	180
(2) Control of the solvency of cell water by ATP	183
(3) The control of the rank order in alkali-metal ion adsorption by ouabain	186
(4) Control of D-glucose and glycine distribution by insulin	192
15.2 The control of ion permeability	194
(1) $Na^+$ efflux in normal and in IAA-poisoned muscle cells	195
(2) The influence of ouabain on the rank order of the strengths of alkali-metal ion adsorption on cell surface anionic sites	198
15.3 Salt-ion-induced swelling of normal and injured cells	200
(1) Cell swelling in isotonic $KCl$	200
(2) Injury-induced cell swelling in isotonic $NaCl$	201

15.4 True active transport across bifacial epithelial cell layers and other bifacial systems	203
(1) Active Na <sup>+</sup> transport across frog skin	205
(2) Active R <sup>+</sup> transport into <i>Nitella</i> cell sap	207
15.5 The resting potential	209
(1) Historic background	209
(1.1) The membrane potential theory and modifications	209
(1.1.1) The ionic theory	210
(1.1.2) The electrogenic pump theory	212
(1.2) Phase-boundary potential theories	213
(1.2.1) Baur's ion adsorption potential theory	213
(1.2.2) Beutner's phase boundary potential theory	214
(1.2.3) Horovitz's (and Nicolsky's) theories of glass electrode potentials	215
(2) The close-contact surface adsorption (CSA) theory of cellular electrical potentials	216
(2.1) The importance of close-contact once more	217
(2.2) Out of the union of two failed models for the the membrane potential, a super-model for the close-contact surface adsorption potential	218
(2.2.1) Both model and living cell show similar rank order of sensitivity to alkali-metal ions	218
(2.2.2) Both model and living cell are indifferent to external Cl <sup>-</sup>	219
(2.2.3) Both model and living cell demonstrate an approximately times greater sensitivity to H <sup>+</sup> than to K <sup>+</sup>	150
(2.2.4) Both model and living cell are indifferent to external Mg <sup>2+</sup>	219
(2.3) The original equation for the resting potential	220
(2.4) Edelman's deciding experiment	221
(2.5) Control of the resting potential	221
(2.5.1) Control by ouabain and other EDC's by raising the c-value of surface β- and γ-carboxyl groups	222
(2.5.2) Control by adrenaline as an EWC by lowering the c-value of surface β- and γ-carboxyl groups	223
15.6 The action potential	224
(1) Hodgkin-Huxley's theory of action potential	225
(1.1) No standing Na <sup>+</sup> potential	225
(1.2) Na channel not specific to Na <sup>+</sup>	226
(2) The close-contact surface adsorption (CSA) theory of action potential	226
(2.1) The identification of the anionic groups mediating ionic permeation and generating the resting potential as β- and γ-carboxyl groups carried on cell surface proteins	229
(2.2) The selective preference for ions of the cell surface (β- and γ-carboxyl groups is mutable, rather than fixed as in the ionic theory	229
(2.3) The anionic groups mediating the entry of Na <sup>+</sup> into squid axons during an action potential are the same β- and γ-carboxyl groups but with a much higher c-value	230
(2.4) Swelling of nerve fiber accompanying an action potential	230

(2.5) The propagated c-value increase at the surface $\beta$ - and $\gamma$ -carboxyl groups goes <i>pari passu</i> with the depolarization of cell surface water molecules	231
<b>16. Summary Plus</b>	233
16.1 Early history	233
16.2 The membrane (pump) theory	235
16.3 Early protoplasm-oriented cell physiologists and their contributions	236
16.4 Ling's fixed charge hypothesis (LFCH)	237
16.5 The polarized multilayer (PM) theory of cell water	239
16.6 The association-induction hypothesis proper	242
(1) The resting living state	242
(1.1) The resting living state as a (metastable) equilibrium state	242
(1.2) The resting living state as a low-entropy state	243
(1.3) Do the major components of the living cell exist in a different physical state or conformation?	243
(1.3.1) Conformation of hemoglobin in red blood cells from $K^+$ , $Na^+$ distribution	243
(1.3.2) Conformation of myosin in frog muscle cells from nonelectrolyte distribution	245
(1.3.3) Conformation of myosin and actin in frog muscle cells from vapor sorption	245
(1.4) In maintaining the resting living state ATP is indispensable	246
(1.5) Where does the excess (cell) water-to-(cell) water interaction energy in the resting living cell originate?	246
(2) Global coherence and internal connectedness in protoplasm	248
(2.1) Native hemoglobin <i>in vitro</i>	248
(2.2) NaOH-denatured hemoglobin <i>in vitro</i>	248
(2.3) Muscle proteins <i>in vivo</i>	249
(3) Interpretation of the four classic physiological manifestations	250
(3.1) Solute distribution	250
(3.2) Solute permeability	251
(3.3) Cell volume control	252
(3.4) Resting potential	253
(4) Physiological activities as reversible cooperative transitions mediated by inductive effects	254
(4.1) c-value and c-value analogue: the keyboard of life	255
(4.2) Changes in the partners of ionic and hydrogen bonds as initiators as well as targets of transmitted inductive effect	257
(4.3) Classification of drugs and other cardinal adsorbents	258
(4.4) Maintenance and modulation of the resting living state by various cardinal adsorbents	258
(4.4.1) Maintenance of the living state by ATP as EWC	258
(4.4.2) Modulation of the resting living state by ouabain as an EDC	259

(4.5) Cyclic reversible physiological activities	264
(4.5.1) True active transport	264
(4.5.2) The action potential	265
(5) The death state	266
(5.1) Life and death of protoplasm	267
(5.2) How protoplasm dies	267
(5.3) The anatomy of dead protoplasm or cell	268
16.7 A sketch of the history of Mankind's search for understanding of life	270
<b>17. Epilogue</b>	272
Crossword puzzle and fox hunt: two models for scientific research	272
The secret of past success in major directional changes	273
Fragmentation and its impact on the future of science	275
A verified unifying theory to put Humpty-Dumpty together again	276
How a dedicated biology teacher holds the key to a better future for basic life science	277
"Science, The Endless Frontier" can be as shining and promising as ever	279
<b>Appendix 1</b>	282
<b>Super-Glossary</b>	288
<b>List of Abbreviations</b>	330
<b>List of Figures, Tables and Equations</b>	333
<b>References</b>	334
<b>Author Index</b>	351
<b>Subject Index</b>	356
<b>Acknowledgments</b>	366
<b>About the Author</b>	371